

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	319143	recording near3 (sheet or medium)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 12:52
2	L2	323588	ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 12:52
3	L3	10900	polyester same (glass adj transition adj temperature or tg or "t.sub.g")	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 12:53
4	L4	434	1 and 2 and 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 12:58
5	L5	132	4 and ink near3 jet	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:05

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	4922	1 and 2 and polyester	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:05
7	L7	7696	(cure or curable or curing or cured) near5 ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:06
8	L8	296	6 and 7	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:18
9	L9	12467	(image or ink) adj receiving adj layer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:20
10	L10	1928	9 same (polyester or styrene adj acrylic or epoxy or phenoxy)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:20

	L #	Hits	Search Text	DBs	Time Stamp
11	L12	4848	(butanediol or nonanediol or diethylene adj glycol or tripropylene adj glycol) adj diacrylate	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:21
12	L13	6967	(isodecyl or phenoxyethyl or phenoxy adj ethyl or hydroxybutyl or isobornyl or diethylene adj glycol) adj (acrylate or methacrylate)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:21
13	L11	57	7 and 9 and 10	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:22
14	L14	4	11 and (12 or 13)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:27
15	L15	25	10 and (12 or 13)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:29

	L #	Hits	Search Text	DBs	Time Stamp
16	L16	358	7 and 12	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:13
17	L17	375	7 and 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:29
18	L19	305	17 and viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:29
19	L20	99	resin adj liquid and 7	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:30
20	L18	287	16 and viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:39

	L #	Hits	Search Text	DBs	Time Stamp
21	L21	5556	weight near3 average near3 viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:35
22	L22	289	(monofunctional adj monomer) and (multifunctional adj monomer)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:09
23	L23	41	7 and 21	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:34
24	L24	23	7 and 22	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:36
25	L25	23	weight adj average adj viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:37

	L #	Hits	Search Text	DBs	Time Stamp
26	L26	673	(12 or (multifunctional or multi?functional or polyfunctional or bifunctional or bi?functional) adj monomer) same viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:41
27	L27	595	(13 or monofunctional adj monomer) same viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:41
28	L28	164	2 and 26	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:43
29	L34	427	(523/160).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:45
30	L35	748	(523/161).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:45

	L #	Hits	Search Text	DBs	Time Stamp
31	L36	11	(34 or 35) and (28 or 29)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:45
32	L29	172	2 and 27	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:54
33	FAMILY	1	2002-050407.NRAN.	DERWEN T	2002/06/28 13:53
34	L38	4779	weight near5 average near5 formula	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 13:59
35	L40	9856	weighted near3 average	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:01
36	L39	24	viscosity near10 (mixture or blend or combination) near10 monomer near10 (calculat\$3 or formula or aaverage)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:04

	L #	Hits	Search Text	DBs	Time Stamp
37	L41	248	40 near5 (defin\$5 or viscosity)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:06
38	L43	111	40 near5 property	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:07
39	L42	30	40 near5 viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:07
40	L44	61	amount near10 (monofunctional adj monomer) and amount near10 ((multifunctional or bifunctional or difunctional or polyfunctional or multi?functiona) adj monomer)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:11
41	L46	64	7 and amount same 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:13

	L #	Hits	Search Text	DBs	Time Stamp
42	L45	40	7 and amount same 12	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:14
43	L48	27	45 and 46	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:37
44	L49	88	7 and isodecyl adj acrylate	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:59
45	L50	26	(decyl or butyl) adj acrylate near10 viscosity near5 (cps! or cp! or mpa! or mpas! or pas! or pa!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:59
46	L51	0	isodecyl adj acrylate near10 viscosity near5 (cps! or cp! or mpa! or mpas! or pas! or pa!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:51

	L #	Hits	Search Text	DBs	Time Stamp
47	L52	103	(methacrylate or acrylate) near10 viscosity near5 ("1" or "2") near5 (cps! or cp! or mpa! or mpas! or pas! or pa!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:55
48	L53	0	(decyl adj acrylate) near10 viscosity near5 (cps! or cp! or mpa! or mpas! or pas! or pa!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:59
49	L54	239	2 and isodecyl adj acrylate	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 14:59
50	L55	151	54 not 49	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/28 15:00

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	323220	ink	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:45
2	L2	12304	resin adj liquid	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:45
3	L3	439010	viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:46
4	L4	4859	(butanediol or nonanediol or diethylene adj glycol or tripropylene adj glycol) adj diacrylate or sr adj "213" or fa adj 129a or sr adj "230"	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:47
5	L5	7426	(isodecyl or phenoxyethyl or phenoxy adj ethyl or hydroxybutyl or isobornyl or diethylene adj glycol) adj (acrylate or methacrylate) or amp adj 10g or ib adj x or sr adj 231e	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:49

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	56	1 and 2 near10 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:57
7	FAMILY	1	2002-050407.NRAN.	DERWEN T	2002/06/26 12:56
8	L12	4	gb-2318356-\$.did. or ep-465039-\$.did.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:57
9	L7	12	1 and 4 near10 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:58
10	L8	11	1 and 5 near10 3	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 12:59
11	L9	1	7 and 8	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:01

	L #	Hits	Search Text	DBs	Time Stamp
12	L10	445	1 and 4 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:03
13	L13	7683	1 near5 (cure or curable or curing or cured)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:04
14	L14	184	13 and 4 and 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:05
15	L15	166	14 and viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:17
16	L18	197	1 and 4 same 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:17

	L #	Hits	Search Text	DBs	Time Stamp
17	L16	38	4 near10 viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:17
18	L17	53	5 near10 viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:19
19	L19	13	viscosity near5 monofunctional adj monomer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:22
20	L20	10	viscosity near5 (polyfuntional or multifunctional or bifunctional) adj monomer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:23
21	L21	2	19 and 20	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:23

	L #	Hits	Search Text	DBs	Time Stamp
22	L22	219	viscosity near10 diluent and diluent same (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:24
23	L23	92	22 and 1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:24
24	L24	660	(diluent or monomer) near10 viscosity near3 (cp! or cps! or mpa! or mpas! or pa! or pas!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:59
25	L25	2308	(diluent or monomer) near10 (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:04
26	L27	38057	viscosity near3 (cp! or cps! or mpa! or mpas! or pa! or pas!)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:59

	L #	Hits	Search Text	DBs	Time Stamp
27	L26	32	24 and 25	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 13:59
28	L28	44	14 and 27	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:02
29	L29	11	27 near10 (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:40
30	L30	12458	(ink or image) adj receiving adj layer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:28
31	L31	125	13 and (4 or 5) and 27	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:07

	L #	Hits	Search Text	DBs	Time Stamp
32	L32	159	13 and 30	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:08
33	L33	1945	30 same (polyester or styrene near3 acrylic or epoxy or phenoxy)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:09
34	L34	57	13 and 33	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:15
35	L36	4	34 and (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:21
36	L37	81	13 and 18	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:20

	L #	Hits	Search Text	DBs	Time Stamp
37	L38	476924	(ink near3 jet or printing or recording) near5 (sheet or medium or paper)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:22
38	L39	1814	13 and 38	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:22
39	L40	211	30 and (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:23
40	L41	199	39 and (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:24
41	L42	61422	(ink or image) near3 receiving near3 layer or ink near3 (layer or image)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:32

	L #	Hits	Search Text	DBs	Time Stamp
42	L43	1030	((523/160) or (523/161)).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:32
43	L45	2070	42 and 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:32
44	L44	19	13 and (4 or 5) and 43	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:32
45	L46	153	45 and (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:39
46	L48	119	27 same (4 or 5)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:42

	L #	Hits	Search Text	DBs	Time Stamp
47	L47	65	monofunctional near5 monomer near10 (mix\$3 or combin\$5) near10 (multifunctional or bifunctional or multi adj functional) near5 monomer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:50
48	L50	39	48 and 1	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:43
49	L49	136	(monofunctional near5 monomer or (multifunctional or bifunctional or multi adj functional) near5 monomer) and 30	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:49
50	L51	4	27 same 4 and 27 same 5	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:49
51	L52	13	(monofunctional near5 monomer) near10 viscosity and viscosity near10 ((multifunctional or bifunctional or multi adj functional) near5 monomer)	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:52

	L #	Hits	Search Text	DBs	Time Stamp
52	L53	36	monomer near10 lower near3 viscosity and viscosity near3 higher near10 monomer	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:54
53	L56	39	average near3 viscosity and 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:58
54	L57	16	amount near5 monomer near5 viscosity and 13	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 14:59
55	L58	0	tetrahydrofuryl adj acrylate near5 viscosity	USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B	2002/06/26 15:18